Preparation of a Revised Library for the BLAKE Thermodynamic Program

William Oberle
U.S. ARMY RESEARCH LABORATORY

Eli Freedman
ELI FREEDMAN AND ASSOCIATES

19960729 028

DTIC QUALITY INSPECTED 2

NOTICES

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project(0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED
	July 1996	Final, Jan 94 - Jun 95

4. TITLE AND SUBTITLE	5. FUNDING NUMBERS
Preparation of a Revised Library for the BLAKE Thermodynamic Program	PR: 1L162618A1FL

6. AUTHOR(S)

William Oberle and Eli Freedman

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)	8. PERFORMING ORGANIZATION REPORT NUMBER
U.S. Army Research Laboratory ATTN: AMSRL-WT-PA Aberdeen Proving Ground, MD 21005-5066	ARL-TR-1152

9. SPONSORING/MONITORING AGENCY NAMES(S) AND ADDRESS(ES)	10.SPONSORING/MONITORING AGENCY REPORT NUMBER

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION/AVAILABILITY STATEMENT	12b. DISTRIBUTION CODE
Approved for public release; distribution is unlimited.	

13. ABSTRACT (Maximum 200 words)

This report details the modification of the equilibrium thermodynamic code BLAKE to implement a revised and updated library. This revision extends the standard BLAKE library to 6,000 K and results in improved run efficiency.

DTIC QUALITY INSPECTED 3

14. SUBJECT TERMS		15. NUMBER OF PAGES
thermochemical, thermodynamic, equilibrium		61
		16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
UNCLASSIFIED	UNCLASSIFIED	UNCLASSIFIED	UL

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)
Prescribed by ANSI Std. 239-18   298-102

INTENTIONALLY LEFT BLANK.

ACKNOWLEDGMENTS

INTENTIONALLY LEFT BLANK.

TABLE OF CONTENTS

INTENTIONALLY LEFT BLANK.

LIST OF TABLES

INTENTIONALLY LEFT BLANK.

1. INTRODUCTION

The BLAKE computer program is a general equilibrium thermodynamics program derived from an older version of TIGER.* Although it applies to a wide range of chemical equilibrium calculations, BLAKE is specifically intended for computing the thermodynamic properties of gun propellants combustion products at chamber conditions. Its principal difference from other chemical equilibrium computer programs is that, like TIGER, it permits the use of several nonideal gaseous equations of state.

BLAKE was formally documented in a U.S. Army Ballistic Research Laboratory (BRL)[†] report (Freedman 1982). Since that time many undocumented changes and additions have been made to the code. Several years ago, the U.S. Army Research Laboratory (ARL), through Task Order 3 on Contract DAAA15-92-D-0001, requested that (1) the program's library be updated and (2) an updated *Guide* be prepared for the program. The objective of updating the library was: (1) to extend the data temperature range to 6,000 K, (2) verify and correct, based upon the latest available data, the Lennard-Jones parameters, and (3) streamline the library to facilitate improved computation/run times. The *Guide* has been completed and is now being reviewed by ARL personnel.

The present report documents the details of the work accomplished in achieving the first-listed goal. The methods adopted are straightforward applications of well-known techniques and applications. The primary purpose of this report is to furnish a "paper trail" so that any questions arising about the new library can be readily answered.

The principal changes in the program since the publication of the earlier *Guide* are as follows:

- The number of possible gaseous products has been enlarged from 29 to 55.

- The program's default input units have been changed from atmospheres and calories to megapascals and Joules for pressure and energy respectively.

---

* BLAKE is based on the original version of TIGER that was developed by Stanford Research International under Contract No. DA-04-200-AMC-3226(X) with the (former) U.S. Army Ballistic Research Laboratories. Dr. Stanley M. Taylor was the Contracting Officer's Technical Representative. This work was documented in an SRI report by Wibenson, W. E., Jr., Zwisler, W. H., Seely, L. B., and Brinkley, S. R., Jr., "Tiger Computer Program Documentation," 1968.

[†] On 30 September 1992, the U.S. Army Ballistic Research Laboratory (BRL) was deactivated and subsequently became part of the U.S. Army Research Laboratory (ARL) on 1 October 1992.

- Instructions may now be entered in either upper or lower case.

- The computation of the heat of explosion has been corrected and improved.

- The program now computes the mean formula weight of the input composition and its corresponding molar enthalpy.

This report is not completely self-contained. The discussion in some places assumes familiarity with the latest version of the BLAKE program and its documentation (Freedman 1995).

2. SOURCES OF DATA

The primary and unchallenged source of thermodynamic data of product species is the JANAF Tables (Chase 1985), which contain data for approximately 600 species. Of the 88 species chosen for the new library (Table 4), these tables contain complete data, e.g., c_v, from 298.15 K to 6,000 K for 80 of the species; there are either partial or no data for the remaining 8. Data for these eight species were obtained by back calculation from the coefficients supplied by NASA's Lewis Research Center (McBride, Reno, and Gordon 1994) for the 1989 version of the CEC thermodynamics program.

The necessary Lennard-Jones parameters (viz., the diameter and the well depth) were taken from Reid, Prausnitz, and Poling (1987), who cite Svehla and McBride (1973) as their source. These values were obtained by fitting viscosity data, not P-V-T data, and are open to question; unfortunately there is no better source.

The primary source of enthalpy data for the stored organic species was the compilation edited by Pedley and Rylance (1977). The primary source for enthalpies of inorganic species was the NBS Tables (Wagman *et al.* 1982). Data for propellant ingredients not contained in either of these two sources were taken from the ICT compilations (Volk, Bathelt, and Kuthe 1971; Bathelt and Volk 1981.)

Data for the formulas and enthalpies of formation of some widely used propellant ingredients are stored within the program. Formulas and enthalpies of other ingredients are stored in the file named INGRED.DAT contained on the program disk. Users can insert their own data into this file if they desire.

3. ASSEMBLING THE PRODUCT DATA

Owing to its inherent limitations, BLAKE cannot handle, in any one computation, more than 55 gaseous product species or 3 condensed-phase product species. This means that some scheme must be devised for selecting the species to be included. Fortunately, the NASA-Lewis thermodynamics programs CEC and its descendants can readily handle 600 gaseous species and 200 condensed ones. Therefore, the approach used was straightforward. The products computed by the NASA program for a selected composition were sorted in order of decreasing mole fraction of products.

A review of the elements appearing in various military propellants, including electrothermal-combustion compositions, led to the 21 elements listed in Table 1 being chosen for inclusion in the new library.

Table 1. The Elements Included in the BLAKE Library

Aluminum	Chlorine	Hydrogen	Magnesium	Sodium
Argon	Electron	Iron	Nitrogen	Sulfur
Barium	Fluorine	Lead	Oxygen	Titanium
Boron	Helium	Lithium	Potassium	Zirconium
Carbon				

(1) The elements C, H, O, and N were considered first and as a group because they are the four most important elements in all propellants. Table 2 shows the input file containing some typical C, H, O, and N propellants that were used.

Table 2. Listing of the Input File Containing Various C, H, O, and N Propellants

FOR, CAB, -2.9900E+06, C, 147, H, 237, O, 77

FOR, ATEC, -4E5, C, 14, H, 22, O, 8

FOR, CEL, -230300., C, 6, H, 10, O, 5

FOR, PU, -8313000., C, 512, H, 958, N, 14, O, 159

COM, RDX, 72.38, NC1260, 3.8095, CAB, 11.43, ATEC, 7.238, EC, 0.381,

GUN, 0.2, 10, 0

TIT, A Triple Base Propellant

FOR, NC, -0.16591E9, C, 6000, H, 7416, O, 10168, N, 2584

FOR, DEGDN, -1.035E5, C, 4, H, 8, O, 7, N, 2

FOR, NG, -0.886E5, C, 3, H, 5, O, 9, N, 3

FOR, AKAR, -0.255E5, C, 14, H, 14, O, 1, N, 2

COM, AKAR, 0.8, NG, 14.9, DEGDN, 24.8, NC, 59.5

GUN, 0.2, 10, 0

TIT, A Lova Composition

FOR, CAB, -1.3906E8, C, 4529, H, 7009, O, 2358

FOR, NC, -1.6916E8, C, 6000, H, 7549, O, 9901, N, 2451

FOR, EC, -2.51E4, C, 17, H, 20, O, 1, N, 2

FOR, RDX, 1.469E4, C, 3, H, 6, O, 6, N, 6

FOR, BDNPA, -1.533E5, C, 8, H, 14, O, 10, N, 4

FOR, BDNPF, -1.483E5, C, 7, H, 12, O, 10, N, 4

COM, CAB, 12, NC, 4, EC, 0.4, BDNPA, 3.8, BDNPF, 3.8, RDX, 76

GUN, 0.2, 10, 0

FOR, OC501B, -0.7638E8, C, 2934, H, 4731, O, 1537

TITLE, Another Propellant

CM2, NC1315, 53.74, NG, 20.58, DEGDN, 18.74, OC501B, 5.41,

DPA, 1.12, C, 0.2, DBP, 0.11, H2O, 0.1

GUN, 0.2, 10, 0

STOP

4

The relevant output was sorted and led to Table 3.

(2) Similar calculations for all of the other elements led to the list of species in Table 4.

Table 3. The Different Species in the Output From the Input of Table 2
Sorted in Order of Decreasing Mole Fraction

1. CO	0.4106000000	20. NH	0.0000077510
2. H2O	0.2668000000	21. ACETYLENE	0.0000061440
3. H2	0.2559000000	22. HNO	0.0000041300
4. N2	0.2349000000	23. KETENE	0.0000032850
5. CO2	0.1291000000	24. H2O2	0.0000030450
6. OH	0.0037710000	25. HO2	0.0000024270
7. H	0.0030730000	26. METHANOL	0.0000014010
8. NH3	0.0011400000	27. ETHYLENE	0.0000010160
9. HCN	0.0007914000	28. N	0.0000010140
10. NO	0.0005504000	29. CN	0.0000007575
11. CH4	0.0003968000	30. N2O	0.0000006096
12. HCO RAD	0.0001392000	31. NCO	0.0000005651
13. FORMALDEHYDE	0.0001243000	32. HNO2	0.0000003488
14. FORMIC ACID	0.0000876600	33. CH2	0.0000002635
15. O2	0.0000745200	34. HYDROXYMETHYLEN	0.0000002620
16. O	0.0000691900	35. NO2	0.0000002260
17. HNCO	0.0000568000	36. METHYL CYANIDE	0.0000002125
18. NH2	0.0000337300	37. NH2OH	0.0000001063
19. CH3	0.0000222100		

Table 4. The Gaseous Species Included in the New BLAKE Library

Al_2O	CH_2	$FeCl_2$	K_2	NH_3
AlF_2O	CH_2CO	FeO_2H_2	$K_2H_2O_2$	NO
$AlHO_2$	CH_2O	$HCOOH$	KH	NO_2
AlO_2	CH_2OH	H_2	KO	NS
Ar	CH_3	H_2O	KOH	O
B_2O_2	CH_3Cl	H_2O_2	$LiOH$	O_2
B_2O_3	CH_3CN	H_2S	$LiBO_2$	OH
$B_3H_3O_3$	CH_4	$HAlO$	MgO_2H_2	Pb
BaO_2H_2	CH_3OH	HCl	N	PbS
BH_2	CHO	HCN	N_2	S
BH_3	Cl	$Helium$	N_2O	S_2
BHO	CN	HF	NAF	S_2O
BHO_2	CO	$HNCO$	$NaOH$	SH
BO	CO_2	HNO	NCO	SO
C	COS	HNO_2	NH	SO_2
C_2H_2	CS	HO_2	NH_2	TiO_2
C_2H_3N	CS_2	K	NH_2OH	ZrO
C_2H_4	$Electron$	KBO_2		

(3) Of the 88 species listed in Table 4, 38 contain at most C, H, O, and N; the remaining 50 contain one or more of the other 17 elements. Most of these 17 elements occur in only a few compositions, but potassium and sulfur, which are in the flash reducer potassium sulfate and igniter formulations of black powder, are frequently found. These six elements (C, H, N, O, S, and K) are found in a total of 55 of the compounds listed in Table 4, which means that any such composition can be immediately run by the present BLAKE without the use of any 'Reject' instructions.

(4) Exploratory calculations showed that the concentrations of the seven species listed in Table 5 are almost always too low to be of any interest; their presence contributes nothing to the computed thermodynamic properties.

6

Table 5. Gaseous Species for Which Thermodynamic Data Are Furnished,
but Which Must First Be Processed by a User

Hydroxymethylene	Hydrogen peroxide	Hydroperoxy
Hydroxylamine	Ketene	Methanol
Methyl cyanide		

To take care of the exceptional cases, however, it was decided to include
thermodynamic data for these seven species, but to displace their CONstituent
instructions three columns to the right in the alphanumeric library. This has the
effect of keeping these species out of the binary library, but in such a way that a
user can easily restore them with any ASCII editor. See the revised *Guide*
(Freedman 1995) for details.

(5) Of the 88 species listed in Table 4, the JANAF Tables contain thermodynamic data from
298.15 K to 6,000 K for 80 of them. The eight exceptions are formic acid, hydrogen
peroxide, hydroperoxy, hydroxylamine, hydroxymethylene, ketene, methyl cyanide, and
methanol, which either are not included in the JANAF Tables, or for which the JANAF data
do not extend to 5,000 K. (Note that seven of these eight species are the ones listed in
Table 5.) Thermodynamic data for these eight species were obtained by back-calculation
from the data included in the thermodynamic tables that accompany the NASA-Lewis
thermodynamics program, CET89.

(6) The program library contains data for the 18 condensed-phase species listed in Table 6.

Table 6. The Condensed Species Included in the BLAKE Library

Species	Phase(s)	Species	Phase(s)
Al_2O_3	solid and liquid	K_2S	solid and liquid
B	solid and liquid	Li_2O	solid and liquid
B_2O_3	solid and liquid	LiOH	solid and liquid
BC_4	solid only	MgO	solid and liquid
BN	solid only	NaF	liquid only
C(s)	solid only	Pb	solid and liquid
KF	liquid only	Ti_4O_7	liquid only
K_2CO_3	solid and liquid	TiO_2	solid only
KOH	liquid only	ZrO_2	solid and liquid

All told, the new library will contain 106 species, down from the 153 species contained in older libraries. The 47 deleted species are almost never encountered in gun propellant calculations or their mole fraction is sufficiently small so as to have negligible impact on calculated results. Deleting these species results not only in reduced computation/run times, but also significantly reduces the use of the 'Reject' instruction.

The next step was to extract their thermodynamic data from a tape of the JANAF Tables. Doing this was a tedious task prone to errors and was therefore automated.

First the gaseous species were placed in a file named GASES. For each species, this file contained its names, its JANAF JCODE number (an arbitrary reference number found only on the JANAF tape), its formula, and all of the information that was to be incorporated into the STG entry for that species. The order of species in this file was the order in which it was intended that they appear in the final library. The entire file is listed in Appendix A.

File GASES was the input for a QuickBASIC program named MAKESUBJG, which is listed in Appendix B. This program formed a new file in which the JANAF data for 80 species was listed completely in the order in which these species appear in the original JANAF tape. A second QuickBASIC program named MAKEJANG, listed in Appendix C, rearranged these data into the order in which they appear in GASES and placed them into a file named JAN_FILE.GAS.

Similarly, the condensed species were placed into a file named CONDENSD, which is listed in Appendix D. A QuickBASIC program named MAKEJANC, listed in Appendix E, extracted the appropriate data from the JANAF tape and placed them into a file named JAN_FILE.CON.

The two files JAN_FILE.GAS and JAN_FILE.CON were the inputs for the FORTRAN fitting program TIGFIT8; this program is listed in Appendix F. TIGFIT8 always places its output in TIGFIT.OUT; the two output files were temporarily copied to GASES.OUT and CONDEN.OUT, where they were kept for later use.

The NASA coefficients for the eight species, formic acid, hydrogen peroxide, hydroperoxy, ketene, methyl cyanide, methanol, hydroxymethylene, and hydroxylamine, were extracted by hand (using an ASCII editor) from the library file FILE4.DAT that accompanied CET89, and were stored in CUT.LIS.

8

This file, in turn, became the input for the FORTRAN program CPHSJN, which expanded the coefficients and formed JANAF-like tables for these species in the temperature range 298.15 K to 5,000 K; these tables were stored in TIGFITJ.IN.

The CON instructions for seven of these eight species have three blanks placed in front of them. This was accomplished by the QuickBASIC program ADDBLNK, which is listed in Appendix G.

The previous fitting program TIGFIT8 operated on TIGFITJ.IN and formed another file named TIGFIT8.OUT. This file was then merged with GASES.OUT; the resultant file was also named GASES.OUT.

Finally, the two files GASES.OUT and CONDEN.OUT were merged, and an appropriate header was placed in front of them. This final file was named NEWLIB.LIB; it was the alphanumeric source file that contained the final library for BLAKE. The program FORMLIB made the binary file that is used by BLAKE.

After visual inspection and testing, NEWLIB.LIB was renamed SBLAKLYB.LIB and became the new library for the latest version of BLAKE. The program FORMLIB made the binary file that is used by BLAKE.

The overall process was executed by a DOS batch file named MAKELIBS, which is listed in Appendix H.

4. SUMMARY

The BLAKE program has been revised. The most significant improvement is the expansion of the program to handle 55 gaseous species and 3 condensed phase species in any one calculation. Twenty-one elements were selected for inclusion in the program's new library. An intensive survey was carried out to determine the most significant species formed by these 21 elements for inclusion in the library; 88 species were selected. Thermodynamic data for these 88 species were taken from either the JANAF Tables or back-calculated from fittings furnished by NASA's Lewis Research Center. The coefficients of the fitted (or re-fitted) data were assembled in a new library. The enthalpies of formation of the prestored propellant ingredients were reviewed and revised where necessary.

INTENTIONALLY LEFT BLANK.

5. REFERENCES

Bathelt, H., and F. Volk. "Thermodynamische Daten von Raketentreibstoffen, Treibladungspulvern und Sprengsdtoffen sowie deran Komponenten. I. Erganzungsband." Institut fuer Chemie der Treib- und Explosivstoffe (now called the Institut fuer Chemische Technologie), Berghausen/Karlsruhe, 1981.

Chase, M. JANAF Thermochemical Tables, 3rd edn., ACS/AIP (1986); also, Supplement No. 1 to the Journal of Physical and Chemical Reference Data, vol. 14, 1985.

Freedman, Eli. "BLAKE—A Thermodynamics Code Based on TIGER: Users' Guide to the Revised Program." ARL-CR-xxxx, U.S. Army Research Laboratory, Aberdeen Proving Ground, MD, 1995 (in press).

Freedman, Eli. "Blake—A Thermodynamics Code Based on Tiger—Users' Guide and Manual." ARBRL-TR-02411, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD, 1982 [AD A121 259].

McBride, B. J., M. A. Reno, and S. Gordon. "CET93 and CETPC: An Interim Updated Version of the NASA Lewis Computer Program for Calculating Complex Chemical Equilibria with Applications." NASA TM 4557, National Aeronautics and Space Administration, Lewis Research Center, Cleveland, OH, 1994.

Pedley, J. B., and J. Rylance. "Sussex-N.P.L. Computer Analyzed Thermochemical Data: Organic and Organometallic Compounds." University of Sussex, Sussex, 1977.

Reid, R. C., J. M. Prausnitz, and B. E. Poling. The Properties of Liquids and Gases. 4th ed., McGraw-Hill, New York, 1987.

Svehla, R. A., and B. J. McBride. "Fortran IV Computer Program for Calculation of Thermodynamic and Transport Properties of Complex Chemical Systems." NASA TD 7056, National Aeronautics and Space Administration, Lewis Research Center, Cleveland, OH, 1973.

Volk, F., H. Bathelt, and R. Kuthe. "Thermodynamische Daten von Raketentreibstoffen, Treibladungspulvern und Sprengsdtoffen sowie deran Komponenten." Institut fuer Chemie der Treib- und Explosivstoffe (now called the Institut fuer Chemische Technologie), Berghausen/Karlsruhe, 1971.

Wagman, D. D., V. B. Parker, R. H. Schumm, I. Halow, S. M. Bailey, K. L. Churney, and R. L. Nuttal. "The NBS Tables of Chemical Thermodynamic Data." J. Phys. Chem., Ref. Data 11, Supplement 2, 1982.

INTENTIONALLY LEFT BLANK.

APPENDIX A:

LISTING OF THE INPUT FILE GASES

INTENTIONALLY LEFT BLANK.

```
 1,  2,  "CO"    , 153, "C", 1, "O", 1,
     "STG, CO, GAS, 390, D, 3.69, T, 91.7", ""
 2,  2,  "H2O"   , 309, "H", 2, "O", 1,
     "STG, H2O, GAS, 250, T, 542.5, D, 2.79", ""
 3,  1,  "H2"    , 304, "H", 2,
     "STG, H2, GAS, 180, D, 2.827, T, 59.7", ""
 4,  1,  "N2"    , 360, "N", 2,
     "STG, N2, GAS, 148, D, 3.798, T, 71.4", ""
 5,  2,  "CO2"   , 155, "C", 1, "O", 2,
     "STG, CO2, GAS, 600, D, 3.941, T, 195.2", ""
 6,  2,  "OH"    , 300, "O", 1, "H", 1,
     "STG, OH, GAS, 226", ""
 7,  1,  "H"     , 288, "H", 1,
     "STG, H, GAS, 13.4", ""
 8,  2,  "NH3"   , 314, "N", 1, "H", 3,
     "STG, NH3, GAS, 476., D, 2.9, T, 558.3", ""
 9,  3,  "HCN"   , 132, "H", 1, "C", 1, "N", 1,
     "STG, HCN, GAS, 359, D, 3.339, T, 344.7", ""
10,  2,  "NO"    , 351, "N", 1, "O", 1,
     "STG, NO, GAS, 386., D, 3.492, T, 116.7", "*"
11,  2,  "CH4"   , 145, "C", 1, "H", 4,
     "STG, CH4, GAS, 528, D, 3.758, T, 148.6", ""
12,  3,  "CHO"   , 134, "C", 1, "H", 1, "O", 1,
     "STG, CHO, GAS, 699.987", "*"
13,  3,  "CH2O"  , 139, "C", 1, "H", 2, "O", 1, "", "*"
14,  3,  "CH2O2" ,  -1, "C", 1, "H", 2, "O", 2, "", "*"
15,  1,  "O2"    , 389, "O", 2,
     "STG, O2, GAS, 350, D, 3.467, T, 106.7", ""
16,  1,  "O"     , 381, "O", 1,
     "STG, O, GAS, 212.8", ""
17,  4,  "HNCO"  , 133, "H", 1, "N", 1, "C", 1, "O", 1, "", "*"
18,  2,  "NH2"   , 308, "N", 1, "H", 2, "", "*"
19,  2,  "CH3"   , 140, "C", 1, "H", 3,
     "STG, CH3, GAS, 525", "*"
20,  2,  "NH",   , 295, "N", 1, "H", 1, "", "*"
21,  2,  "C2H2"  , 165, "C", 2, "H", 2, "", "*"
22,  3,  "HNO",  , 767, "H", 1, "N", 1, "O", 1, "", "*"
23,  2,  "H2O2"  ,  -1, "H", 2, "O", 2, "", "*"
24,  2,  "HO2"   , 810, "H", 1, "O", 2, "", "*"
25,  2,  "C2H4"  , 166, "C", 2, "H", 4,
     "STG, C2H4, GAS, 372, D, 4.163, T, 224.7", "*"
26,  1,  "N",    , 350, "N", 1,
     "STG, N, GAS, 148", "*"
27,  2,  "CN",   , 147, "C", 1, "N", 1, "", "*"
28,  2,  "N2O",  , 361, "N", 2, "O", 1, "", "*"
29,  3,  "NCO",  ,1109, "N", 1, "C", 1, "O", 1, "", "*"
30,  3,  "HNO2" , 783, "H", 1, "N", 1, "O", 2, "", "*"
31,  2,  "CH2"   , 135, "C", 1, "H", 2, "", "*"
```

```
32,  1,  "C",     ,  112,  "C",  1,  "",    "*"
33,  2,  "NO2"    ,  352,  "N",  1,  "O",  2,  "",    "*"
34,  3,  "KETENE",  -1,  "C",  2,  "H",  2,  "O",  1,  "",    "*"
35,  3,  "C2H3N1",  -1,  "C",  2,  "H",  3,  "N",  1,  "",    "*"
36,  2,  "HF"     ,  237,  "H",  1,  "F",  1,
     "STG,  HF,  GAS,  389.,  D,  3.148,  T,  330.",  ""
37,  2,  "NAF"    ,  249,  "NA",  1,  "F",  1,  "",    ""
38,  3,  "NAOH"   ,  299,  "NA",  1,  "O",  1,  "H",  1,  "",    "*"
39,  2,  "K2F2"   ,  539,  "K",  2,  "F",  2,  "",    "*"
40,  3,  "MGO2H2",  294,  "MG",  1,  "O",  2,  "H",  2,  "",    ""
41,  2,  "BH3"    ,   57,  "B",  1,  "H",  3,  "",    ""
42,  2,  "BO"     ,   64,  "B",  1,  "O",  1,  "",    "*"
43,  2,  "BH2"    ,   55,  "B",  1,  "H",  2,  "",    "*"
44,  3,  "BHO"    ,   53,  "B",  1,  "H",  1,  "O",  1,  "",    ""
45,  2,  "B2O2"   ,   69,  "B",  2,  "O",  2,  "",    "*"
46,  2,  "B2O3"   ,   72,  "B",  2,  "O",  3,  "",    ""
47,  3,  "BHO2"   ,   54,  "B",  1,  "H",  1,  "O",  2,  "",    "*"
48,  3,  "B3H3O3",  750,  "B",  3,  "H",  3,  "O",  3,  "",    "*"
49,  3,  "KBO2"   , 1123,  "K",  1,  "B",  1,  "O",  2,  "",    ""
50,  2,  "CS"     ,  157,  "C",  1,  "S",  1,  "",    ""
51,  2,  "CS2"    ,  158,  "C",  1,  "S",  2,  "",    "*"
52,  1,  "K2"     ,  560,  "K",  2,  "",    "*"
53,  2,  "NS"     ,  354,  "N",  1,  "S",  1,  "",    "*"
54,  2,  "KO"     ,  743,  "K",  1,  "O",  1,  "",    "*"
55,  1,  "S",     ,  424,  "S",  1,  "",    "*"
56,  3,  "K2H2O2",  667,  "K",  2,  "H",  2,  "O",  2,  "",    "*"
57,  3,  "KOH"    ,  622,  "K",  1,  "O",  1,  "H",  1,  "",    ""
58,  2,  "H2S"    ,  313,  "H",  2,  "S",  1,
     "STG,  H2S,  GAS,  0.0,  D,  3.623,  T,  301.1",  ""
59,  2,  "SO2"    ,  391,  "S",  1,  "O",  2,  "",    "*"
60,  1,  "K",     ,  559,  "K",  1,  "",    ""
61,  3,  "COS"    ,  154,  "C",  1,  "O",  1,  "S",  1,  "",    ""
62,  2,  "SH"     ,  302,  "S",  1,  "H",  1,  "",    ""
63,  2,  "SO"     ,  383,  "S",  1,  "O",  1,  "",    "*"
64,  1,  "S2"     ,  426,  "S",  2,  "",    "*"
65,  2,  "KH"     ,  766,  "K",  1,  "H",  1,  "",    "*"
66,  2,  "S2O"    ,  279,  "S",  2,  "O",  1,  "",    "*"
67,  3,  "ALHO2"  ,   22,  "AL",  1,  "H",  1,  "O",  2,  "",    "*"
68,  3,  "ALF2O"  , 1310,  "AL",  1,  "F",  2,  "O",  1,  "",    ""
69,  2,  "ALO2"   , 1017,  "AL",  1,  "O",  2,  "",    ""
70,  2,  "AL2O"   ,   31,  "AL",  2,  "O",  1,  "",    ""
71,  3,  "HALO"   ,   21,  "H",  1,  "AL",  1,  "O",  1,  "",    ""
72,  3,  "BAO2H2", 1292,  "BA",  1,  "H",  2,  "O",  2,  "",    ""
73,  1,  "PB"     ,  647,  "PB",  1,  "",    ""
74,  2,  "PBS"    , 1203,  "PB",  1,  "S",  1,  "",    "*"
75,  2,  "HCL"    ,  185,  "CL",  1,  "H",  1,
     "STG,  HCL,  GAS,  643,  D,  3.339,  T,  344.7",  ""
76,  1,  "CL"     ,  178,  "CL",  1,
```

16

```
              "STG,  CL,  GAS,  250",   ""
77,  3,  "CH3CL"  ,  141,  "C",  1,  "H",  3,  "CL",  1,  "",  "*"
78,  2,  "TIO2"   ,  398,  "TI",  1,  "O",  2,  "",   ""
79,  2,  "ZRO"    ,  388,  "ZR",  1,  "O",  1,  "",   ""
80,  2,  "FECL2"  ,  851,  "FE",  1,  "CL",  2,  "",  ""
81,  3,  "FEO2H2",  917,  "FE",  1,  "O",  2,  "H",  2,  "",  ""
82,  3,  "LiOH"   ,  292,  "LI",  1,  "O",  1,  "H",  1,  "",  ""
83,  3,  "LIBO2"  ,  653,  "LI",  1,  "B",  1,  "O",  2,  "",  ""
84,  1,  "ARGON"  ,  1353,  "AR",  1,
              "STG,  ARGON,  GAS,  532,  D,  3.542,  T,  93.3",   ""
85,  1,  "HELIUM",  1359,  "HE",  1,
              "STG,  HELIUM,  GAS,  0.0,  D,  2.551,  T,  10.22",   ""
86,  3,  "CH4O"   ,   -1,  "C",  1,  "H",  4,  "O",  1,  "",  "*"
87,  3,  "CH3O"   ,   -1,  "C",  1,  "H",  3,  "O",  1,  "",  "*"
88,  3,  "NH2OH"  ,   -1,  "N",  1,  "H",  3,  "O",  1,  "",  "*"
89,  1,  "ELEC"   ,  831,  "EL",  1,  "",  ""
0,  0,  "END"    ,   -1,  "",  ""
```

INTENTIONALLY LEFT BLANK.

APPENDIX B:

LISTING OF THE PROGRAM MAKSUBJG.BAS

INTENTIONALLY LEFT BLANK.

In this and all of the following QuickBASIC listings, the underscore '_' is used to indicate a break in lines that are too long to fit on the page. The QuickBASIC compiler accepts this symbol, but displays such lines on the screen without the break.

In order to minimize the introduction of errors, file names have been left unchanged.

```
' This program creates a mini-JANAF tape file that is restricted to
' data on the *gaseous* species that are to be included in the revised
' BLAKE.

' Written by EF&A in March/94
' Saved as MAKSUBJG.BAS [This version: 12 November 1994]


WIDTH 80, 43
DEFINT I-N: DEFSTR S: begin = TIMER
DATA 298.15
countt = 0: lines& = 0: kk = 0
READ tstart


OPEN "c:\janaf\subsetg.lib" FOR OUTPUT AS #3
OPEN "jan_file.prt" FOR OUTPUT AS #4
PRINT #4, "  Num.Species     KK         JCODE        Species"
OPEN "c:\janaf\tables" FOR INPUT AS #2 LEN = 32767
mode = 2


get.jan.line:
LINE INPUT #2, s.line
     IF (EOF(2) = -1) THEN GOTO endd ELSE lines& = lines& + 1
     IF (MID$(s.line, 3, 7) <> "JCODE =") THEN GOTO get.jan.line
     j.tab.code = VAL(MID$(s.line, 10, 6))
'                                PRINT " JCODE (from table) = "; j.tab.code
jcode.sel:
CLOSE #1: OPEN "gases" FOR INPUT AS #1: num.species = 0
get.a.species:
   INPUT #1, idiot.no, num.at, species, jcode
'   'idiot.num' is a running number that counts the number of
'   species.
'   'num.at' is the number of atoms in the species
'   If 'num.at' is greater than 10, it means that that species is
'   one that will have its 'CON' instruction displaced by 3
'   columns in the alphanumeric library.

   if (num.at > 10) then num.at = num.at - 10
'          PRINT "<Check1: >"; idiot.no, num.at; species; jcode
'                                PRINT "num at., etc "; _
                                        num.at, species, jcode
```

```basic
        IF (species = "E N D" OR jcode = 0) THEN GOTO get.jan.line
        num.species = num.species + 1
        IF (j.tab.code <> jcode) THEN
                FOR ii = 1 TO num.at: INPUT #1, s.junk1, junk2
    '                                 PRINT s.junk1, junk2;
                                      NEXT: ' PRINT
                INPUT #1, stg, asterisk$
                GOTO get.a.species
            END IF
SOUND 440, 5: kk = kk + 1
        PRINT kk, num.species; jcode; species; " ";
            PRINT #4, USING _
                    "     ###          ###        ####            &"; _
                    num.species; kk; jcode; species
        PRINT #3, USING "\     \ GAS"; species;
        PRINT #3, USING "                                    JCODE =####"; jcode
        PRINT USING "  JCODE =####"; jcode


next.line.1:
    LINE INPUT #2, s.line: lines& = lines& + 1
    '                                 PRINT "> "; LEFT$(s.line, 10)
            test.val = VAL(LEFT$(s.line, 10))
            IF (test.val < .995 * tstart) THEN GOTO next.line.1
            IF (test.val = tstart OR test.val < 1.005 * tstart)_
                                            THEN GOTO start.tab
            PRINT "Can't find T = TSTART for species "; species
                                            STOP


start.tab:
    PRINT #3, s.line: '      PRINT s.line
nexxt:
                LINE INPUT #2, s.line: lines& = lines& + 1
                            ' "> "; LEFT$(s.line, 30)
                IF (LEFT$(s.line, 12) = "    PREVIOUS:") THEN
                    mode = 0
                    PRINT #3, "          -1 "
                    GOTO get.jan.line
                ELSE
                    PRINT #3, s.line
                END IF
                IF (VAL(LEFT$(s.line, 9)) = 6000!) THEN
                    mode = 0
                    GOTO get.jan.line
                ELSE
                    GOTO nexxt
                END IF


trouble:
```

22

```
      PRINT " P O T E N T I A L    T R O U B L E.
      PRINT "Can't find T = 6000 K for species "; species
      PRINT s.line: STOP


endd:
all.done = TIMER: e.time = all.done - begin
                                           PRINT #4, : PRINT #4,
PRINT #4, "TOTAL No. of lines read = "; lines&
PRINT #4, "Program took "; e.time; "seconds"
e.mins = INT(e.time / 60): e.secs = e.time - 60! * e.mins
e.secs = (INT(10! * e.secs + .5)) / 10!
PRINT #4, "            = "; e.mins; " mins, "; e.secs; " secs"
FOR i = 1 TO 5: SOUND 250, 10: SOUND 500, 5: NEXT
SYSTEM


make.con.instr:

      RETURN:   ' Temporary--for code checking

   FOR i = 1 TO num.at: INPUT #1, symb(i), at.no$(i): NEXT

   FOR i = 1 TO num.at
      IF (ASC(symb(i)) > 64 AND ASC(symb(i)) < 91) _
                                           THEN GOTO nexxt1
err1:
      PRINT "Error in CON info for species "; species
      PRINT "CHEK:   "; symb(i); "    "; at.no$(i); ASC(symb(i));_
                                    "    "; ASC(at.no$(i))
      STOP
nexxt1:
      IF (ASC(at.no$(i)) > 47 AND ASC(at.no$(i)) < 58) _
                              then GOTO nexxt2
      GOTO err1
nexxt2:
    NEXT

PRINT #3, "CON,"; species; ","; "GAS,";
    FOR i = 1 TO num.at: PRINT #3, symb(i); ","; at.no$(i); ",";
                   NEXT: PRINT #3,
RETURN
```

INTENTIONALLY LEFT BLANK.

APPENDIX C:

LISTING OF THE PROGRAM MAKEJANG.BAS

INTENTIONALLY LEFT BLANK.

```
' This program takes the file SUBSETG.LIB, created by
' MAKSUBJG.BAS (q.v.), and rearranges it into the order of
' decreasing importance for the new BLAKE library as specified
' in the file GASES.

' Written by EF&A in OCT/94.

' Saved as MAKEJANG.BAS   [11-OCT-94]

DEFINT I-N: DEFSTR S: COLOR 15, 0: begin = TIMER
DATA 298.15
countt = 0: no.rew = 0: lines& = 0: no.species = 0
READ tstart

OPEN "gases" FOR INPUT AS #1
' ThE file GASES contains the names of the *gaseous* species in
' the approximate order of decreasing concentration in typical
' outputs.

OPEN "jan_file.gas" FOR OUTPUT AS #3
OPEN "jan_file.prt" FOR OUTPUT AS #4

jcode.sel:
INPUT #1, idiot.no, num.at, species, jcode
   num = num.at: IF (num.at > 10) THEN num = num.at - 10
   IF (species = "E N D" OR jcode = 0) THEN GOTO endd
   IF (jcode < 0) THEN
                FOR i = 1 TO num: INPUT #1, s.junk, junk
                NEXT
                INPUT #1, s.junk, s.junk1
                GOTO jcode.sel
   END IF
    no.species = no.species + 1
    GOSUB make.con.instr

    k.rew = 0
    PRINT no.species; "  Looking for JCODE = "; jcode;_
                                      "  species = "; species
    PRINT #4, "Looking for JCODE = "; jcode; "  species = "; _
                                      species
    PRINT #3, USING "\    \  GAS"; species

rewindd:
 CLOSE #2: OPEN "c:\janaf\subsetg.lib" _
                                 FOR INPUT AS #2 LEN = 32767
no.rew = no.rew + 1
tab.input:
LINE INPUT #2, s.line
```

27

```basic
      IF (EOF(2) = -1) THEN
          SOUND 500, 5: SOUND 250, 10
          k.rew = k.rew + 1
              IF (k.rew > 1) THEN
                      PRINT "Too many rewinds for species "; species
                      STOP
                      END IF
              mode = 1
              GOTO rewindd
    END IF
     lines& = lines& + 1
     IF (MID$(s.line, 43, 7) <> "JCODE =") THEN
         GOTO tab.input
     END IF

     num = VAL(MID$(s.line, 50, 5))
              IF (num <> jcode) THEN
                  GOTO tab.input
              END IF
PRINT "> "; LEFT$(s.line, 40): PRINT : lines& = lines& + 1
PRINT #4, "> "; LEFT$(s.line, 40): PRINT #4,
         mode = 0: k.rew = 0
next.line.1:
    LINE INPUT #2, s.line: lines& = lines& + 1

    test.no = VAL(LEFT$(s.line, 10))
    IF (test.no < tstart) THEN GOTO next.line.1
    IF (test.no < 1.005 * tstart) THEN GOTO start.tab
    PRINT "Can't find T = "; tstart; "for species "; species: STOP

start.tab:
    PRINT #3, s.line

next.line.1.5:
    LINE INPUT #2, s.line
        IF (VAL(LEFT$(s.line, 9)) = -1) THEN
            mode = 0
            PRINT #3, "9999., 999. 99., 9., .9, 999. 99.  9."
            GOTO jcode.sel
              ELSEIF (VAL(LEFT$(s.line, 9)) < 6000!) THEN
                      PRINT #3, s.line
                      GOTO next.line.1.5
              ELSEIF (VAL(LEFT$(s.line, 9)) = 6000!) THEN
                      PRINT #3, s.line
                      mode = 0
                      GOTO jcode.sel
              END IF
next.line.2:
```
28

```
        IF (VAL(LEFT$(s.line, 9)) > 6000!) THEN GOTO trouble
                LINE INPUT #2, s.line: PRINT #3, s.line
                IF (VAL(LEFT$(s.line, 9)) < 6000!) THEN
                        GOTO next.line.2
                ELSE
                        GOTO jcode.sel
                END IF


trouble:
    PRINT " P O T E N T I A L    T R O U B L E.
    print "Can't find T = 6000 K for species "; species
    PRINT s.line: STOP


endd:
all.done = TIMER: e.time = all.done - begin
                                        'PRINT #3, : PRINT #3,
PRINT "No. of rewinds = "; no.rew:
e.mins = INT(e.time / 60): e.secs = e.time - 60! * e.mins
e.secs = (INT(10! * e.secs + .5)) / 10!
'PRINT #3, "            = "; e.mins; " mins, "; e.secs; " secs"
PRINT #3, "E N D": PRINT #3, "E N D": CLOSE #3


PRINT #4, : PRINT #4,
PRINT #4, "No. of rewinds = "; no.rew:
PRINT #4, "TOTAL No. of lines read = "; lines&
PRINT #4, "Program took "; e.time; "seconds"
PRINT #4, "            = "; e.mins; " mins, "; e.secs; " secs"


FOR i = 1 TO 5: SOUND 250, 10: SOUND 500, 5: NEXT
SYSTEM


make.con.instr:
 FOR i = 1 TO num: INPUT #1, symb(i), at.no$(i): NEXT
                        INPUT #1, stg$, asterisk$


 FOR i = 1 TO num
    IF (ASC(symb(i)) > 64 AND ASC(symb(i)) < 91) THEN GOTO nexxt1
err1:
    PRINT "Error in CON info for species "; species
    PRINT "CHEK:   "; symb(i); "   "; at.no$(i); _
                                ASC(symb(i)); "    "; ASC(at.no$(i))
    STOP
nexxt1:
    IF (ASC(at.no$(i)) > 47 AND ASC(at.no$(i)) < 58) GOTO nexxt2
    GOTO err1
nexxt2:
     NEXT
IF (num.at < 10) THEN
```

```
                    PRINT #3, "CON,"; species; ","; "GAS,";
        ELSE
                    PRINT #3, "    CON,"; species; ","; "GAS,";
        END IF
    FOR i = 1 TO num: PRINT #3, symb(i); ","; at.no$(i); ","; : NEXT
    PRINT #3, asterisk$:  PRINT #3, stg$
RETURN
```

APPENDIX D:

LISTING OF THE INPUT FILE CONDENSD

INTENTIONALLY LEFT BLANK.

```
1, 2, "AL2O3$", 33, "SOLID", "AL", 2, "O", 3
"STC, AL2O3$, SOLID, 1, 28.3, 0., 0"
"STC, AL2O3$, SOLID, 2, 0., 0., 0"
"STC, AL2O3$, SOLID, 3, 0., 0., 0"
2, 2, "AL2O3$", 34, "LIQUID", "AL", 2, "O", 3
"STC, AL2O3$, LIQUID, 1, 33.9, 0., 0"
"STC, AL2O3$, LIQUID, 2, 0., 0., 0"
"STC, AL2O3$, LIQUID, 3, 0., 0., 0"
3, 2, "NAF$", 247, LIQUID, "NA", 1, "F", 1
"STC, NAF$, LIQUID, 1, 18, 0, 0"
"STC, NAF$, LIQUID, 2, 0, 0, 0"
"STC, NAF$, LIQUID, 3, 0, 0, 0"
4, 2, "KF$", 535, "LIQUID", "K", 1, "F", 1
"STC, KF$, LIQUID, 1, 26, 0, 0"
"STC, KF$, LIQUID, 2, 0, 0, 0"
"STC, KF$, LIQUID, 3, 0, 0, 0"
5, 2, "BN$", 60, "SOLID", "B", 1, "N", 1
"STC, BN$, SOLID, 1, 11.03, 0, 0"
"STC, BN$, SOLID, 2, 0., 0., 0"
"STC, BN$, SOLID, 3, 0., 0., 0"
6, 2, "B2O3$", 70, "SOLID", "B", 2, "O", 3
"STC, B2O3$, SOLID, 1, 28., 0., 0"
"STC, B2O3$, SOLID, 2, 0., 0., 0"
"STC, B2O3$, SOLID, 3, 0., 0., 0"
7, 2, "B2O3$", 71, "LIQUID", "B", 2, "O", 3
"STC, B2O3$, LIQUID, 1, 31., 0., 0"
"STC, B2O3$, LIQUID, 2, 0., 0., 0"
"STC, B2O3$, LIQUID, 3, 0., 0., 0"
8, 1, "C(S)", 111, "SOLID", "C", 1
"STC, C(S), SOLID, 1, 4.99259, 3.9628E-5, 1.191359E-9"
"STC, C(S), SOLID, 2, -6.377527E-6, 1.1924995E-10,-3.7557816E-15"
"STC, C(S), SOLID, 3, 3.58287E-12, -1.00976E-16, 0"
9, 2, "BC4$", 78, "SOLID", "B", 1, "C", 4
"STC, BC4$, SOLID, 1, 21.9, 0, 0"
"STC, BC4$, SOLID, 2, 0., 0., 0"
"STC, BC4$, SOLID, 3, 0., 0., 0"
10, 1, "B$", 38, "SOLID", "B", 1
"STC, B$, SOLID, 1, 21.9, 0, 0"
"STC, B$, SOLID, 2, 0., 0., 0"
"STC, B$, SOLID, 3, 0., 0., 0"
11, 1, "B$", 39, "LIQUID", "B", 1
"STC, B$, LIQUID, 1, 24., 0, 0"
"STC, B$, LIQUID, 2, 0., 0., 0"
"STC, B$, LIQUID, 3, 0., 0., 0"
12, 3, "KOH$", 541, "LIQUID", "K", 1, "O", 1, "H", 1
"STC, KOH$, LIQUID, 1, 28., 7.3E-3, 0"
"STC, KOH$, LIQUID, 2, 0., 0., 0"
"STC, KOH$, LIQUID, 3, 0., 0., 0"
```

```
13, 3, "K2CO3$", 526, "SOLID", "K", 2, "C", 1, "O", 3
"STC, K2CO3$, SOLID, 1, 60.4, 0, 0"
"STC, K2CO3$, SOLID, 2, 0., 0., 0"
"STC, K2CO3$, SOLID, 3, 0., 0., 0"
14, 3, "K2CO3$", 527, "LIQUID", "K", 2, "C", 1, "O", 3
"STC, K2CO3$, LIQUID, 1, 72, .0175, 0"
"STC, K2CO3$, LIQUID, 2, 0., 0., 0"
"STC, K2CO3$, LIQUID, 3, 0., 0., 0"
15, 2, "K2S$", 1452, "SOLID", "K", 2, "S", 1
"STC, K2S$, SOLID, 1, 45., 0, 0"
"STC, K2S$, SOLID, 2, 0, 0, 0"
"STC, K2S$, SOLID, 3, 0, 0, 0"
16, 2, "K2S$", 1453, "LIQUID", "K", 2, "S", 1
"STC, K2S$, LIQUID, 1, 50, .005, 0"
"STC, K2S$, LIQUID, 2, 0, 0, 0"
"STC, K2S$, LIQUID, 3, 0, 0, 0"
17, 1, "PB$", 645, "SOLID", "PB", 1
"STC, PB$, SOLID, 1, 18.27, 0., 0"
"STC, PB$, SOLID, 2, 0., 0., 0"
"STC, PB$, SOLID, 3, 0., 0., 0"
18, 1, "PB$", 646, "LIQUID", "PB", 1
"STC, PB$, LIQUID, 1, 18.97, 1.791E-3, 0"
"STC, PB$, LIQUID, 2, 0, 0, 0"
"STC, PB$, LIQUID, 3, 0, 0, 0"
19, 2, "MGO$", 335, "SOLID", "MG", 1, "O", 1
"STC, MGO$, SOLID, 1, 11.25, .000326, 0"
"STC, MGO$, SOLID, 2, -0.000066, 0., 0"
"STC, MGO$, SOLID, 3, 0., 0., 0"
20, 2, "MGO$", 871, "LIQUID", "MG", 1, "O", 1
"STC, MGO$, LIQUID, 1, 12, 0., 0"
"STC, MGO$, LIQUID, 2, 0, 0., 0"
"STC, MGO$, LIQUID, 3, 0., 0., 0"
21, 2, "ZRO2$", 399, "SOLID", "ZR", 1, "O", 2
"STC, ZRO2$, SOLID, 1, 20.9, 0, 0"
"STC, ZRO2$, SOLID, 2, 0, 0, 0"
"STC, ZRO2$, SOLID, 3, 0, 0, 0"
22, 2, "ZRO2$", 400, "LIQUID", "ZR", 1, "O", 2
"STC, ZRO2$, LIQUID, 1, 23., 0, 0"
"STC, ZRO2$, LIQUID, 2, 0, 0, 0"
"STC, ZRO2$, LIQUID, 3, 0, 0, 0"
23, 2, "TIO2$", 396, "SOLID", "TI", 1, "O", 2
"STC, TIO2$, SOLID, 1, 19., 0, 0"
"STC, TIO2$, SOLID, 2, 0, 0, 0"
"STC, TIO2$, SOLID, 3, 0, 0, 0"
24, 2, "TI4O7$", 1246, "LIQUID", "TI", 4, "O", 7
"STC, TI4O7$, LIQUID, 1, 66., 0, 0"
"STC, TI4O7$, LIQUID, 2, 0, 0, 0"
"STC, TI4O7$, LIQUID, 3, 0, 0, 0"
```

```
25, 2, "LI2O$", 327, "SOLID", "LI", 2, "O", 1
"STC, LI2O$, SOLID, 1, 25., 0, 0"
"STC, LI2O$, SOLID, 2, 0, 0, 0"
"STC, LI2O$, SOLID, 3, 0, 0, 0"
26, 2, "LI2O$", 328, "LIQUID", "LI", 2, "O", 1
"STC, LI2O$, LIQUID, 1, 28., 0, 0"
"STC, LI2O$, LIQUID, 2, 0, 0, 0"
"STC, LI2O$, LIQUID, 3, 0, 0, 0"
27, 2, "LIOH$", 290, "SOLID", "LI", 2, "O", 1
"STC, LIOH$, SOLID, 1, 25., 0, 0"
"STC, LIOH$, SOLID, 2, 0, 0, 0"
"STC, LIOH$, SOLID, 3, 0, 0, 0"
26, 2, "LIOH$", 291, "LIQUID", "LI", 2, "O", 1
"STC, LIOH$, LIQUID, 1, 28., 0, 0"
"STC, LIOH$, LIQUID, 2, 0, 0, 0"
"STC, LIOH$, LIQUID, 3, 0, 0, 0"
0, 0, "END", -1
```

INTENTIONALLY LEFT BLANK.

APPENDIX E:

LISTING OF THE PROGRAM MAKEJANC.BAS

Intentionally left blank.

```basic
' A program that selects from the JANAF Tables the species that
' are going to be refitted.

' In this version, only condensed species are selected.

' Written by EF&A in March/94

' Saved as MAKEJANC.BAS   [10 November 1994]

WIDTH 80, 43
DEFINT I-N: DEFSTR S: begin = TIMER
countt = 0: no.rew = 0: lines& = 0

OPEN "condensd" FOR INPUT AS #1

OPEN "jan_file.con" FOR OUTPUT AS #3
OPEN "jan_file.prt" FOR OUTPUT AS #4
mode = 2

jcode.sel:
INPUT #1, idito.no, num.at, species, jcode
IF (species = "E N D" OR jcode < 0) THEN GOTO endd
    INPUT #1, s.phase
    GOSUB make.con.instr

INPUT #1, stc1: INPUT #1, stc2: INPUT #1, stc3

k.rew = 0
PRINT "Looking for JCODE = "; jcode; "  species = "; species
PRINT #4, "Looking for JCODE = "; jcode; "  species = "; species

PRINT #3, stc1: PRINT #3, stc2: PRINT #3, stc3
PRINT #3, USING "\    \ &"; species; s.phase

IF (mode = 0) THEN GOTO tab.input
rewindd:
CLOSE #2: OPEN "c:\janaf\tables" FOR INPUT AS #2 LEN = 32767

tab.input:
LINE INPUT #2, s.line: lines& = lines& + 1
' countt = countt + 1:    'if (countt > 55000 ) then system
   IF (EOF(2) <> 0) THEN
       SOUND 500, 5: SOUND 250, 10
       no.rew = no.rew + 1
       k.rew = k.rew + 1
                 IF (k.rew > 1) THEN
                         PRINT "Too many rewinds for species "; _
                                                    species
```

```
                        STOP
                    END IF
              mode = 1
              GOTO rewindd
   END IF

   IF (MID$(s.line, 3, 7) <> "JCODE =") THEN
                               GOTO tab.input
   END IF
'             PRINT "> "; s.line; " < ";
   num = VAL(MID$(s.line, 10, 5))
            IF (num <> jcode) THEN
                GOTO tab.input
            END IF
   SOUND 440, 5
   INPUT #2, s.line: PRINT "> "; LEFT$(s.line, 40)
   PRINT lines& = lines& + 1

next.line.1:
   LINE INPUT #2, s.line: lines& = lines& + 1
   IF (VAL(LEFT$(s.line, 10)) < 298!) THEN GOTO next.line.1
   IF (VAL(LEFT$(s.line, 10)) > 298.1) THEN
            IF (VAL(LEFT$(s.line, 10)) < 298.2) THEN
                PRINT #3, s.line: GOTO cont.table
            ELSE
                PRINT "Can't find T = 298.15 for species "; species: STOP
            END IF
      END IF
cont.table:
      LINE INPUT #2, s.line
         IF (VAL(LEFT$(s.line, 9)) = 6000!) THEN
             PRINT #3, s.line
             GOTO jcode.sel
         ELSEIF ((MID$(s.line, 4, 9)) = "PREVIOUS:") THEN
             PRINT #3, "999., 999. 99., 9., .9, 999. 99.  9."
             mode = 0
             GOTO jcode.sel
         ELSE
             PRINT #3, s.line
             GOTO cont.table
         END IF

trouble:
   PRINT " P O T E N T I A L    T R O U B L E.
   PRINT " Can't find T = 6000 K for species "; species
   PRINT s.line: STOP

endd:
```

```basic
all.done = TIMER: e.time = all.done - begin: PRINT #3,
                                          PRINT #3,
PRINT "No. of rewinds = "; no.rew:
PRINT #4, "No. of rewinds = "; no.rew:
PRINT #4, "TOTAL No. of lines read = "; lines&
PRINT #4, "Program took "; e.time; "seconds"
e.mins = INT(e.time / 60): e.secs = e.time - 60! * e.mins
e.secs = (INT(10! * e.secs + .5)) / 10!
PRINT #4, "            = "; e.mins; " mins, "; e.secs; " secs"

FOR i = 1 TO 5: SOUND 250, 10: SOUND 500, 5: NEXT
PRINT #3, "E N D": PRINT #3, "E N D"
SYSTEM


make.con.instr:
   FOR i = 1 TO num.at: INPUT #1, symb(i), at.no$(i): NEXT
   FOR i = 1 TO num.at

      IF (ASC(symb(i)) > 64 AND ASC(symb(i)) < 91) THEN GOTO nexxt1
err1:
      PRINT "Error in CON info for species "; species
      PRINT "CHEK:   "; symb(i); "   "; at.no$(i); ASC(symb(i)); _
                                       "   "; ASC(at.no$(i))
      STOP
nexxt1:
   IF (ASC(at.no$(i)) > 47 AND ASC(at.no$(i)) < 58) GOTO nexxt2
          GOTO err1
nexxt2:
   NEXT

PRINT #3, "CON,"; species; ","; "CONDEN,";
     FOR i = 1 TO num.at: PRINT #3, symb(i); ","; at.no$(i); ",";
                                       NEXT: PRINT #3,
RETURN
```

INTENTIONALLY LEFT BLANK.

APPENDIX F:

LISTING OF THE PROGRAM TIGFIT8

INTENTIONALLY LEFT BLANK.

PROGRAM TIGFIT8

C This version: 10 November 1994

C This program is a modification of STARFIT which was originally written by
C William Zwisler of Stanford Research International (formerly Stanford
C Research Institute) as part of the TIGER program.

C It was first modified for use with BLAKE by Eli Freedman (US Army Ballistic
C Research Laboratories, now the Army Research Laboratory). Intermediate
C versions were produced with the assistance of A.J. Kotlar (ARL). The
C present version was produced by Eli Freedman specifically for use with the
C production of the revised BLAKE library as described in this report.

C In this version, a starting temperature (which will usually be either
C 298.15 K or 600 K) is specified; the data for the fitting will start at
C this temperature, but the entropy and enthalpy will be fixed to their
C values at 298.15.

C The inputs to this version are produced by the QuickBASIC programs MAKEJANG
C and MAKEJANC for gases and condensed species respectively. In either case
C the input is:

C   One line that is identical with the CONstituent instruction in BLAKE;
C   One or three lines that contain equation of state data;
C   One line that contains the 'official' name of the species and its
C   phase;
C   Line by line, the thermodynamic data from the JANAF Tables.

C The input for one case ends when either the first two entries in any
C line are '999., 999.', or the input temperature 6000 K occurs. The very
C last two lines should both be 'E N D'. Cases may be stacked provided the
C proper sentinels are entered.

C Two output files are formed. The first is named TIGFIT8.OUT. It contains,
C in the same order as the species were entered, the alphanumeric entries for
C the BLAKE library. Examples:

C For carbon monoxide the entries (output from TIGFIT8) are

C   CON,CO,GAS,C,1,O,1,
C   STR, CO   ,GAS   , 1, 5.8708949D+00, -4.3129413D-01, 7.3174306D-02
C   STR, CO   ,GAS   , 2, -4.4890630D-03, -2.1517407D+00, 7.1601747D-01
C   STR, CO   ,GAS   , 3, -8.1687965D-02, -3.1173504D+04, 5.3227935D+01
C   STG,CO,GAS,390,D,3.69,T,91.7

C For aluminum oxide the entries (output from TIGFIT8) are

45

```
C      CON,AL2O3$,CONDEN,AL,2,O,3,
C      STR, AL2O3$,SOLID , 1,  5.9912400D+00,  8.1126695D+00, -2.7030436D+00
C      STR, AL2O3$,SOLID , 2,  3.6493235D-01,  5.3460303D+00, -2.3637334D+00
       STR, AL2O3$,SOLID , 3,  2.6465142D-01, -4.0466039D+05,  3.7836920D+01
C      STC, AL2O3$, SOLID, 1, 28.3, 0., 0
C      STC, AL2O3$, SOLID, 2, 0., 0., 0
C      STC, AL2O3$, SOLID, 3, 0., 0., 0


C  The second output file is named TIGFIT8.AUX.  For each input species it
C  repeats the output contained in TIGFIT8.OUT.  In addition it contains a
C  comparison of the back-fitted results with the original JANAF entries, and
C  some statistical measures of the goodness-of-fit.


C  The TIGER coefficients B(1) - B(7) are dimensionless.  The last two
C  coefficients, B(8) and B(9), however, are not; they each have the units of
C  calories/mole-K as required by the BLAKE program.  The back-calculated
C  values, however, are stored with the units Joules/mol-K for the comparison
C  with the JANAF tabular values.


       IMPLICIT REAL*8 (A-H,O-Z)
         DIMENSION A(7,7), B(9), KX(7)
         DIMENSION TK(500), CPP(500), SS(500), HH(500)

         CHARACTER XNAME(2)*3,PHASE*6
         CHARACTER CONCARD*80,STCARD(80)*1,STCARD2(80)*1,STCARD3(80)*1
         CHARACTER PREV*80
         PARAMETER (N6=0)
         LOGICAL HITEMP

         COMMON /COEFS/ B, NUM
         COMMON /FUNCS/ TK, CPP, SS, HH, TSTART, ENTRP0, HOFJ,
     $     XNAME, PHASE
         COMMON /IOSTUF/ LI, LO, LOO
         COMMON /LSTSQ/ T, T2, T3, T4, T5, T6, TM2, TM3, TM4, TM5, TM6,
     $     Y, YT2, YT3, TM, SN, YTM2, YT, YTM, YTM3
         DATA PHASE/ 'GAS    ' /
         DATA TSTART / 298.15D0 /
       WRITE (0,*) "TSTART = ", TSTART
       WRITE (0,*)
       LLO = 3
       LOO = 4
       LI =  5
       LO =  6
       LII = 8
       OPEN (LLO,FILE='TIGFIT8.OUT',STATUS='UNKNOWN')
       OPEN (LO,FILE= 'TIGFIT8.AUX',STATUS='UNKNOWN')
       OPEN (LOO,FILE='SUMMARY',     STATUS='UNKNOWN')
       OPEN (LI,FILE=' ',STATUS='OLD')
```

```fortran
          REWIND LI

   11 READ (LI,1019,END=999) CONCARD, STCARD
      IF (CONCARD .NE. 'E N D') THEN
            GOTO 12
      ELSE
            STOP
      ENDIF
 1019 FORMAT (A80/80A1)
   12 IF (PREV .NE. CONCARD) THEN
            PREV = CONCARD
            WRITE (LLO, 1018) CONCARD
      ENDIF
      IF (STCARD(3) .EQ. 'C') THEN
            READ (LI,1017,END=999) STCARD2
            READ (LI,1017,END=999) STCARD3
          ENDIF
 1018 FORMAT (A80)
 1017 FORMAT (80A1)

      READ(LI,1020,END=999) XNAME, PHASE
 1020 FORMAT(2A3, 2X, A6)

         WRITE (N6,2008) XNAME, TSTART
 2008    FORMAT(1X,'Processing ==> ', 2A3, ' from ', F7.2, ' K to 6000 K'
     $ )
C  Initialize the elements that will make up the matrix
      CALL FMATR (0, X1, X2)

  499 FORMAT (A13)
C  Read the next line of data; look for T = 298.15
   15 READ(LI, *, END=33, ERR=98766) TEM, CP, ENTRPO, X,
     $ HMH298,   HOFJ
        IF (TEM .LT. 298.1D0) THEN
              GOTO 15
        ELSEIF (TEM .GT. 298.2D0) THEN
              GOTO 16
        ENDIF
        HOF298 = 1.D3*HOFJ
        S298 = ENTRPO

  501 FORMAT (' CHEKK: ', 4(E16.6))

C  Look for TSTART
   16 IF (TEM .GT. TSTART-1.D-2) THEN
            IF (TEM .LT. TSTART+1.D-2) THEN
                  GOTO 20
            ELSE
```

```fortran
                      GOTO 17
              ENDIF
        ENDIF
     17 WRITE (LO, 502) TEM
    502 FORMAT (' T R O U B L E ! ', F7.2, ' is not TSTART.  Abort.')
        STOP

C  Yes, it is TSTART
C  Start saving data
     20                KT=1
                      TK(1) = TEM
                      CPP(1) = CP
                      SS(1) = ENTRP0
                      HH(1) = 1.D3*HMH298
C                     HF(1) = 1.D3*HOFJ
                      CALL FMATR (1, TK(1), CP)
                      HITEMP = .FALSE.
C  Keep reading the table

     35 KT = KT + 1
     36 READ(LI,*, END=33, ERR=36) TEM, CP, ENTROP, X, HMH298, HOFT
C      WRITE(LO,501) TEM, CP, ENTROP, X1, HMH298, HOFT, X2, X3
        IF (CP .EQ. 9.99D2 .OR. CP .EQ. 9.99D3) THEN
              WRITE (6,*) 'KT = ', KT, TEM
              write (0, *) "KT = ", KT, TEM
              GOTO 60
        END IF

        TK(KT) = TEM
        CPP(KT) = CP
        SS(KT) = ENTROP
        HH(KT) = 1.D3*HMH298
C       HF(KT) = 1.D3*HOFT
C              WRITE (LO,*) KT, TEM, CP, ENTROP
        IF (TEM .LE. 5999.5D0) THEN
              GOTO 49
        ELSE IF (TEM .GE. 6000.D0) THEN
              HITEMP = .TRUE.
              GOTO 60
        END IF

     49 CALL FMATR (1, TK(KT), CP)
        IF (.NOT. HITEMP) GOTO 35
     60 NUM=KT-1
        IF (HITEMP) NUM=KT

C  Form elements of the matrix
        B(1) = Y
```

```
B(2) = YT
B(3) = YT2
B(4) = YT3
B(5) = YTM
B(6) = YTM2
B(7) = YTM3
A(1,1) = SN
A(2,5) = SN
A(3,6) = SN
A(4,7) = SN
A(5,2) = SN
A(6,3) = SN
A(7,4) = SN
A(2,1) = T
A(3,5) = T
A(4,6) = T
A(1,2) = T
A(5,3) = T
A(6,4) = T
A(3,1) = T2
A(2,2) = T2
A(4,5) = T2
A(1,3) = T2
A(5,4) = T2
A(4,1) = T3
A(2,3) = T3
A(1,4) = T3
A(3,2) = T3
A(5,1) = TM
A(2,6) = TM
A(3,7) = TM
A(1,5) = TM
A(6,2) = TM
A(7,3) = TM
A(6,1) = TM2
A(2,7) = TM2
A(5,5) = TM2
A(1,6) = TM2
A(7,2) = TM2
A(7,1) = TM3
A(5,6) = TM3
A(1,7) = TM3
A(6,5) = TM3
A(2,4) = T4
A(3,3) = T4
A(4,2) = T4
A(3,4) = T5
A(4,3) = T5
```

49

```fortran
      A(4,4) = T6
      A(5,7) = TM4
      A(6,6) = TM4
      A(7,5) = TM4
      A(6,7) = TM5
      A(7,6) = TM5
      A(7,7) = TM6
      CALL SOLVEX(7, A, B, KX, 0, KERR)
      IF (KERR .LE. 0)  THEN
            GOTO 66
      ELSE
            STOP
      END IF
C Compute the integration constants by fitting at TSTART
   66 X= 2.9815D-1
      B(8)  =  HOF298 - 298.15D0 * 8.31451 * ( ( ( B(4) * X / 4.0  +
     $ B(3)/3.0 ) * X  +  B(2) / 2.0 ) * X  + B(1) - ( ( B(7) /
     $ (X * 2.0) + B(6)) / X  - B(5) * DLOG(X) ) / X )
      B(9)  = S298 - 8.31451 * ( ( ( B(4) * X / 3.0 + B(3) / 2.0 )
     A * X + B(2) ) * X  + B(1) * DLOG(X) - ( ( B(7) / (3.0 * X) +
     A B(6) / 2.0 ) / X  + B(5) ) / X )

      BCAL8 = B(8)/4.184D0
      BCAL9 = B(9)/4.184D0
      WRITE (LO, 70) XNAME, PHASE
   70 FORMAT(/5X, 2A3, /, 5X, 'The phase is ', A6, / )

      WRITE (LO, 80)
   80 FORMAT (' The STR instructions for the TIGER code are (units = Jou
     $les, mols, & K): '/)
      I=1
      WRITE (LO,90)  XNAME, PHASE, I, B(1), B(2), B(3)
      WRITE (LLO, 95)  XNAME, PHASE, I, B(1), B(2), B(3)
      I = 2
      WRITE (LO,90)  XNAME, PHASE, I, B(4), B(5), B(6)
      WRITE (LLO, 95)  XNAME, PHASE, I, B(4), B(5), B(6)
      I = 3
      WRITE (LO, 90)  XNAME, PHASE, I, B(7), B(8), B(9)
      WRITE (LLO, 95)  XNAME, PHASE, I, B(7), BCAL8, BCAL9
   90 FORMAT(5X, 'STR, ', 2A3 , ',' , A6, ',' , I2, 3(2H, ,1PD14.7))
   95 FORMAT(    'STR, ', 2A3 , ',' , A6, ',' , I2, 3(2H, ,1PD14.7))

      WRITE (LLO, 1017) STCARD
      IF (STCARD(3) .EQ. 'C') THEN
          WRITE (LLO, 1017) STCARD2
          WRITE (LLO, 1017) STCARD3
      ENDIF
```

50

```
      CALL GOODF8
      GO TO 11

  999 WRITE (LLO, *) TEM, CP, X1, HMH298, ENTROP, X2
   33 STOP
98766 WRITE (LO, 998) CONCARD
  998 FORMAT (' Uh, OOOOH!  T R O U B L E '/ A80 /)
      WRITE (LO, *) "TEM, CP, ENTRPO, X, HMH298,  HOFJ"
      WRITE (LO, *)
      WRITE (LO, *) TEM, CP, ENTRPO, X, HMH298,  HOFJ

      END

      SUBROUTINE SOLVEX(N, A, B, KX, K, KERR)

      IMPLICIT REAL*8 (A-H,O-Z)
      DIMENSION A(7,7), B(9), KX(7), T(7)
      EPS = 0.0
      KERR = 0
      IF (K)    10, 10, 160
   10 DO 20    J = 1, N
   20 KX(J) = J
      DO 150   I = 1, N
      IM1 = I - 1
      IF (IM1)   50, 50, 30
   30 DO 40    J = 1, IM1
      KJ = KX(J)
      Q = A(I, KJ)
      JP1 = J + 1
      DO 40    L = JP1, N
      KL = KX(L)
   40 A(I, KL) = A(I, KL) - Q * A(J, KL)
   50 KI = KX(I)
      Q = DABS(A(I, KI))
      IF (N - I)   100, 100, 60
   60 L = I
      IP1 = I + 1
      DO 80    J = IP1, N
      KJ = KX(J)
      AIKJ = DABS(A(I, KJ))
      IF (AIKJ - Q)   80, 80, 70
   70 Q = AIKJ
      L = J
   80 CONTINUE
      IF (L - I)   90, 100, 90
   90 J = KX(L)
      KX(L) = KX(I)
      KX(I) = J
```

```
100 IF (Q - EPS)    110, 110, 120
110 KERR = 1
    RETURN
120 KI = KX(I)
    Q = A(I, KI)
    IF (N - I)    150, 150, 130
130 DO 140    J = IP1, N
    KJ = KX(J)
140 A(I, KJ) = A(I, KJ) / Q
150 CONTINUE
160 DO 200    I = 1, N
    Q = B(I)
    IM1 = I - 1
    IF (IM1)    190, 190, 170
170 DO 180    J = 1, IM1
    KJ = KX(J)
180 Q = Q - A(I, KJ) * B(J)
190 KI = KX(I)
200 B(I) = Q / A(I, KI)
    DO 230    IC = 1, N
    I = N - IC + 1
    Q = B(I)
    IF (N - I)    230, 230, 210
210 IP1 = I + 1
    DO 220    J = IP1, N
    KJ = KX(J)
220 Q = Q - T(J) * A(I, KJ)
230 T(I) = Q
    DO 240    J = 1, N
    KJ = KX(J)
240 B(KJ) = T(J)
    RETURN
    END

    SUBROUTINE CALC (T,HOFJ,CP,S,H)

    IMPLICIT REAL*8 (A-H,O-Z)
    COMMON /COEFS /B(9)

    TH = T / 1000.0
    TH2 = TH * TH
    TH3 = TH2 * TH
    RTH = 1.0 / TH
    RTH2 = RTH * RTH
    RTH3 = RTH2 * RTH
    CP =(B(1) + B(2)*TH + B(3)*TH2 + B(4)*TH3 + B(5)*RTH + B(6)*RTH2
   $   + B(7)*RTH3)* 8.31451
    X = DLOG(TH)
```

```
         S = 8.31451 * ( B(1)*X  + B(2)*TH + B(3)*TH2/2.0 + B(4)*TH3/3.0
     $   - B(5)*RTH - B(6)*RTH2/2.0 - B(7)*RTH3/3.0 )  +  B(9)
         H = ( T * 8.31451 * ( B(1) + B(2)*TH/2.0 +  B(3)*TH2/3.0 +
     $    B(4)*TH3/4.0 + B(5)*RTH*X - B(6)*RTH2 - B(7)*RTH3/2.0)
     $    + B(8) -  HOFJ )
         RETURN
         END


         SUBROUTINE FMATR (IOPT, TEM, CP)
         IMPLICIT REAL*8 (A-H,O-Z)

         COMMON /LSTSQ/ T, T2, T3, T4, T5, T6, TM2, TM3, TM4, TM5, TM6,
     $   Y, YT2, YT3, TM, SN, YTM2, YT, YTM, YTM3

         IF (IOPT .NE. 0) GOTO 10
         Y = 0.0
         YT = 0.0
         YT2 = 0.0
         YT3 = 0.0
         YTM = 0.0
         YTM2 = 0.0
         YTM3 = 0.0
         SN = 0.0
         T = 0.0
         T2 = 0.0
         T3 = 0.0
         T4 = 0.0
         T5 = 0.0
         T6 = 0.0
         TM = 0.0
         TM2 = 0.0
         TM3 = 0.0
         TM4 = 0.0
         TM5 = 0.0
         TM6 = 0.0
         GOTO 20
      10 X = CP / 8.31451

C  CHECK print
C      WRITE (LOO, 9999) TEM, CP, T, X, Y
C9999  FORMAT (' TEM & Cp = ', 2F10.2, 3F15.4)

         TH = TEM / 1000.0
         TH2 = TH * TH
         TH3 = TH * TH2
         RTH = 1.0 / TH
         RTH2 = RTH * RTH
         RTH3 = RTH * RTH2
```

53

```fortran
      Y = Y + X
      YT = YT + X * TH
      YT2 = YT2 + X * TH2
      YT3 = YT3 + X * TH3
      YTM = YTM + X * RTH
      YTM2 = YTM2 + X * RTH2
      YTM3 = YTM3 + X * RTH3
      SN = SN + 1.0
      T = T + TH
      T2 = T2 + TH2
      T3 = T3 + TH3
      T4 = T4 +   TH2 * TH2
      T5 = T5 +   TH2 * TH3
      T6 = T6 +   TH3 * TH3
      TM = TM + RTH
      TM2 = TM2 + RTH2
      TM3 = TM3 + RTH3
      TM4 = TM4 + RTH2 * RTH2
      TM5 = TM5 + RTH2 * RTH3
      TM6 = TM6 + RTH3 * RTH3
   20 RETURN
      END


      SUBROUTINE GOODF8
C  A subroutine for computing the goodness-of-fit of TIGFIT8
C  The TIGER coefs B(8) and B(9) are converted to
C  calories/mole-K for use in the thermo library.

C  The back-calculated values are kept in Joules/mol-K for the
C  comparison with the JANAF tabular values.

C  14 October 1994

      IMPLICIT REAL*8 (A-H,O-Z)

      CHARACTER XNAME(2)*3, PHASE*6

      COMMON /COEFS/ B(9), NUM, NNUM
      COMMON /FUNCS/ TK(500), CPP(500), SS(500), HH(500),
     $    TSTART, ENTRP0, HOFJ, XNAME, PHASE
      COMMON /IOSTUF/ LI, LO, LOO

      WRITE (4, 70) XNAME, PHASE
   70 FORMAT(5X, 2A3, 8X, 'The phase is ' , A6, )

      SUMC1 = 0.0
      SUMC2 = 0.0
      SUMS1 = 0.0
```

```
             SUMS2 = 0.0
             SUMH1 = 0.0
             SUMH2 = 0.0
             SUMH3 = 0.0

         WRITE (LO, 500)
     500 FORMAT (/55X,'H(T)-   H(C)-' /
        $ '      T    Cp(T) Cp(C)  Delta    S(T)   S(C)   Delta   '
        $ 'Hstart  Hstart   Delta')

             HHZERO = HH(1)
           CALL CALC (298.15DO, HOFJ, CP, S, H298)
            DO 100 I=1,NUM
             T=TK(I)
           CALL CALC (T,HOFJ,CP,S,H)

     501 FORMAT (' > ', I4, 2F15.2)
             DELTACP = CPP(I) - CP
              IF (HH(I) .NE. 0.0) THEN
                 NUMH = NUM
                 DELTAS = SS(I) - S

C        IF (TK(I) .LT. 9.D2)
C      $ WRITE (LO,*) "Chekk1: ",  TK(I) , HH(I), H, HHZERO

                 HH(I) = HH(I) - HHZERO

                 H = H - HHZERO - H298

                 DELTAH = HH(I) - H
                 IF (HH(I) .NE. 0.) DELTHB = DELTAH/HH(I)
C                         WRITE (LO, 501)  I, H, HH(I), H600
            ELSE
                 DELTAS = 0.
                 DELTAH = 0.
                 NUMH=NUM-1
                 GOTO 80
            END IF

     80   WRITE (LO,1000) I, T, CPP(I), CP, DELTACP, SS(I), S, DELTAS,
        $ HH(I), H, DELTAH
    1000 FORMAT (I3, F7.0, F7.2, F7.2, F6.2, F9.2, F8.2, F6.2,
        $ F9.0, F8.0, F7.1)

             SUMC1 = SUMC1 + DELTACP
             SUMC2 = SUMC2 + DELTACP**2
             SUMS1 = SUMS1 + DELTAS
             SUMS2 = SUMS2 + DELTAS**2
```

```
           SUMH1  =  SUMH1  +  DELTAH
           SUMH2  =  SUMH2  +  DELTAH**2
  100      SUMH3  =  SUMH3  +  DELTHB**2

           NUMC=NUM


  120      ERRC1  =  SUMC1/NUMC
           ERRC2  =  SQRT(SUMC2/(NUMC-1))
           ERRS1  =  SUMS1/NUMH
           ERRS2  =  SQRT(SUMS2/(NUMH-1))
           ERRH1  =  SUMH1/NUMH
           ERRH2  =  SQRT(SUMH2/(NUMH-1))
           ERRH3  =  1.D2*SQRT(SUMH3/(NUMH-1))

       WRITE (LO,1004) NUMC, NUMH
 1004 FORMAT (/
     $ '   Number of Cp''s = ',I3,19X,'Number of sets of S & H =', I3)

       WRITE (LO, 1002)          ERRC1, TSTART, ERRC2, ENTRPO, ERRS1,
     $ HOFJ, ERRS2, ERRH1, ERRH2, ERRH3

       WRITE (LOO,1002)          ERRC1, TSTART, ERRC2, ENTRPO, ERRS1,
     $ HOFJ, ERRS2, ERRH1, ERRH2, ERRH3
 1002 FORMAT (/' H & S fixed at T =          298.15'
     $          '         Mean Deviation of Cp =   ', F6.3 /,
     $          ' Fit & comparison start at ', F 7.2,
     $          '         RMS Deviation of Cp  =   ', F6.3 /,
     $          ' Entropy at T Fix  =   ', F11.2,
     $          '         Mean Deviation of S  =   ', F6.3 /,
     $          ' Enthalpy at T Fix =   ', F10.1,
     $          '         RMS Deviation of S   =',F9.3/,
     $ 31X,     '         Mean Deviation of H  =',F9.3/,
     $ 31X,     '         RMS Deviation of H   =',F9.3/,
     $ 31X,     '         RMS Percent Dev of H =',F9.3//)

       RETURN
       END
```

APPENDIX G:

LISTING OF THE PROGRAM ADDBLINK.BAS

INTENTIONALLY LEFT BLANK.

```
' A program that adds 3 leading blanks to the CON instruction
' for the species to be included in the new BLAKE, but that are
' not in the JANAF TAbles (data for them are obtained from the
' NASA coefficients).

' Written by EF&A in Nov/94
' Saved as ADDBLNK.BAS [13 November 1994]

DEFSTR S: DEFINT I-N

OPEN "tigfitj.in" FOR INPUT AS #1
OPEN "dummy" FOR OUTPUT AS #2

CLS
  PRINT "12345678901234567890123456789012345678901234567890";
  PRINT "12345678901234567890123456789 0"
  PRINT "         1         2         3         4         5";
  PRINT "         6         7         8"

inputt:
LINE INPUT #1, s.line
IF NOT EOF(1) = -1 THEN GOTO nextt ELSE GOTO endd

nextt:

' Look for CON instructions; ignore any other lines
IF LEFT$(s.line, 3) <> "CON" THEN
     PRINT #2, s.line
     GOTO inputt

' A CON instruction has been found.
' If it is for Formic Acid, skip it.
ELSEIF MID$(s.line, 5, 6) = "FORMAC" THEN
     PRINT #2, s.line
     GOTO inputt
END IF

' Only CON instructions for the other species are left.
' Put 3 blanks in front of them
s.line = SPACE$(3) + s.line
     PRINT s.line: ' Print the modified line on the screen.
PRINT #2, s.line: ' Put the modified line in the new output file.
GOTO inputt
'
endd:
SYSTEM
```

INTENTIONALLY LEFT BLANK.

APPENDIX H:

LISTING OF THE DOS BATCH FILE MAKELIBS.BAT

INTENTIONALLY LEFT BLANK.

```
@echo off
:: 21 March 1995
:: This batch file creates the files GASES.OUT and CONDEN.OUT
:: that contain the TIGER-type coefficients for the latest BLAKE
:: program.

if "%1" == "1" goto skipp1
if "%1" == "2" goto skipp2
if "%1" == "3" goto skipp3
if "%1" == "4" goto skipp4


:: Form file SUBSETG.LIB.  It contains the JANAF data for the
:: species in file GASES.

Qb/run maksubjg
:skipp1

:: Now form file JAN_FILE.GFAS.  It rearranges the data in
:: SUBSETG.LIB to put them into the order of species in GASES.

Qb/run makejang
:skipp2

:: Form file JAN_FILE.CON.  It contains the JANAF data for the
:: condensed species that will be in the new library.
Qb/run makejanc

:: Run the fitting program TIGFIT8 on the file that contains the
:: thermo data for the gaseous species.  It forms the file
:: TIGFIT8.OUT that contains the TIGER coefficients for the
:: gaseous species.
:skipp3
Tigfit8 jan_file.gas

:: Rename the output file for later use
If exist gases.out del gases.out
Ren tigfit8.out gases.out

:: Run the fitting program on the file that contains the thermo
:: data for the condensed species.
Tigfit8 jan_file.con
:: Rename the output file to save it for later use.
If exist conden.out del conden.out
Ren tigfit8.out conden.out

:: Run the program CPHSJN.  It uses the NASA coefficients to form
:: the thermo data for the seven species not in the JANAF Tables.
Cphsjn
```

```
     :: Place blanks in cols 1-3 for the CON instructions for these
     :: seven species.  Its output is placed in file DUMMY.
     Qb/run addblnk

     :: DUMMY is the input for the fitting program TIGFIT8.  It has to
     :: be renamed TIGFITJ.IN to be used.
     If exist tigfitj.in del tigfitj.in
     Ren dummy tigfitj.in

     :: Run the fitting program
     Tigfit8 tigfitj.in
     :: Merge the two outputs that contain the coefficients for the
     :: gaseous species.  The DOS COPY program is used to do this.
     Copy gases.out + tigfit8.out dummy > nul:

     :: Rename the merged files.
     If exist gases.out del gases.out
     Ren dummy gases.out

     :skipp4
     Cd\blake\tests

     :: Save previous version of NEWLIB.LIB
     If exist newlib.lib copy newlib.lib newlib.sav
     If exist newlib.lib del newlib.lib

     :: Merge all output files
     Copy topper.lib + d:\Blake\gough\gases.out + d:\Blake\gough\conden.out +
ENDEND.ENDnewlib.lib

     :: Use Wordstar to examine NEWLIB.LIB
     Call WdStar Blake\tests newlib.lib n
     Cd \Blake\tests
     :: Form the new binary library
     Formlib newlib.lib

     :: Use WordStar to examine the alphanumeric output file created
     :: by FORMLIB
     Call WdStar Blake\tests blake.out n

     :: Print an admonitory message on the screen
     Echo.
     Echo    The new library is ready for testing.
     Echo.
     Echo    Don't forget to copy Bynlyb.dat to Sbynlyb.dat
     Echo.
     Echo.
```

NO. OF
COPIES   ORGANIZATION

2   DEFENSE TECHNICAL INFO CTR
         ATTN DTIC DDA
         8725 JOHN J KINGMAN RD
         STE 0944
         FT BELVOIR VA 22060-6218

1   DIRECTOR
         US ARMY RESEARCH LAB
         ATTN AMSRL OP SD TA
         2800 POWDER MILL RD
         ADELPHI MD 20783-1145

3   DIRECTOR
         US ARMY RESEARCH LAB
         ATTN AMSRL OP SD TL
         2800 POWDER MILL RD
         ADELPHI MD 20783-1145

1   DIRECTOR
         US ARMY RESEARCH LAB
         ATTN AMSRL OP SD TP
         2800 POWDER MILL RD
         ADELPHI MD 20783-1145

         ABERDEEN PROVING GROUND

2   DIR USARL
         ATTN AMSRL OP AP L (305)

66

NO. OF COPIES	ORGANIZATION	NO. OF COPIES	ORGANIZATION
1	COMMANDER ATTN STRBE WC TECH LIB VAULT BLDG 315 USA BELVOIR R&D CTR FT BELVOIR VA 22060-5606	2	COMMANDER ATTN SEA 62R SEA 64 NAVAL SEA SYSTEMS COMMAND WASHINGTON DC 20362-5101
1	COMMANDER USA TRAC FT LEE DEFENSE LOGISTICS STUDIES FT LEE VA 23801-6140	1	COMMANDER ATTN AIR 954 TECHNICAL LIBRARY NAVAL AIR SYSTEMS COMMAND WASHINGTON DC 20360
1	PRESIDENT USA ARTILLERY BOARD FT SILL OK 73503	1	NAVAL RESEARCH LABORATORY TECHNICAL LIBRARY WASHINGTON DC 20375
1	COMMANDANT USA COMMAND & GEN STAFF COLLEGE FT LEAVENWORTH KS 66027-5200	3	COMMANDER ATTN 610 C SMITH 6110J K RICE 6110C S PETERS NAVAL SURFACE WARFARE CTR
1	COMMANDANT ATTN REV & TNG LIT DIV USA SPECIAL WARFARE SCHOOL FT BRAGG NC 28307		INDIAN HEAD DIVISION INDIAN HEAD MD 20640-5035
1	COMMANDER ATTN SMCRA QA HI LIBRARY RADFORD ARMY AMMO PLANT RADFORD VA 24141	6	COMMANDER ATTN CODE G33 T DORAN J COPLEY J L EAST CODE G30 GUNS & MUNITIONS DIV CODE G301 D WILSON
1	COMMANDANT ATTN STSF TSM CN USA FIELD ARTILLERY SCHOOL FT SILL OK 73503-5600		CODE G32 GUNS SYSTEMS DIV CODE E23 TECHNICAL LIBRARY NAVAL SURFACE WARFARE CTR DAHLGREN VA 22448-5000
3	COMMANDER ATTN AMXST MC 3 S LEBEAU C BEITER 220 SEVENTH ST NE USA FOREIGN SCIENCE & TECH CTR CHARLOTTESVILLE VA 22901	1	COMMANDER ATTN E CHAN CODE 270P1 NSWC IH DIV 101 STRAUS AVE INDIAN HEAD MD 20640
1	COMMANDANT ATTN ATSF CO MW B WILLIS USA FIELD ARTILLERY CTR & SCHOOL FT SILL OK 73503	1	COMMANDER ATTN R RAST CODE 3120 NSWC IH DIV 101 STRAUS AVE INDIAN HEAD MD 20640
1	OFFICE OF NAVAL RESEARCH ATTN CODE 473 R S MILLER 800 N QUINCY ST ARLINGTON VA 22217	1	COMMANDER ATTN R SIMMONS CODE 210P1 NSWC IH DIV 101 STRAUS AVE INDIAN HEAD MD 20640

2	COMMANDER ATTN CODE 6210 S BOYLES N ALMEYDA NSWC IH DIV 101 STRAUS AVE INDIAN HEAD MD 20640
1	COMMANDER ATTN A ATWOOD CODE 3891 NAWC CHINA LAKE CA 93555
1	OLAC PL/TSTL ATTN D SHIPLETT EDWARDS AFB CA 93523-5000
10	CENTRAL INTELLIGENCE AGENCY OFC OF CENTRAL REF DISSEMINATION BR ROOM GE 47 HQS WASHINGTON DC 20502
1	CENTRAL INTELLIGENCE AGENCY ATTN J E BACKOFEN HQ RM 5F22 WASHINGTON DC 20505
1	DIRECTOR ATTN MS L 355 A BUCKINGHAM PO BOX 808 LLNL LIVERMORE CA 94550
2	DIRECTOR ATTN R ARMSTRONG S VOSEN DIVISION 8357 SNL COMB RSCH FAC LIVERMORE CA 94551-0469
1	UNIVERSITY OF ILLINOIS ATTN PROF H KRIER 144 MEB 1206 N GREEN ST DEPT OF MECH INDUST ENG URBANA IL 61801
2	PENNSYLVANIA STATE UNIVERSITY ATTN J BROWN 312 MECHANICAL ENGINEERING BLDG DEPT OF MECH ENG UNIVERSITY PK PA 16802

1	NORTH CAROLINA STATE UNIVERSITY ATTN J G GILLIGAN BOX 7909 1110 BURLINGTON ENG LABS RALEIGH NC 27695-7909
1	THE JOHNS HOPKINS UNIV CPIA ATTN T CHRISTIAN 10630 LITTLE PATUXENT PKWY SUITE 202 COLUMBIA MD 21044-3200
3	INSTITUTE FOR ADVANCED STUDIES DR H FAIR DR T KIEHNE DR I McNAB 4030 2 W BAKER LN AUSTIN TX 78759-5329
1	SRI INTERNATIONAL ATTN TECHNICAL LIBRARY 333 RAVENSWOOD AVE PROPULSION SCIENCES DIVISION MENLO PK CA 94025
1	SPARTA ATTN DR M HOLLAND 9455 TOWNE CENTER DR SAN DIEGO CA 92121-1964
2	UNITED DEFENSE LP ATTN MR J DYVIK B GOODELL 4800 E RIVER RD MINNEAPOLIS MN 55421-1498
2	RADFORD ARMY AMMUN PLANT ATTN D WORRELL E SANFORD MNGR MFG ENGNG DEPT PO BOX 1 RADFORD VA 24141
1	PAUL GOUGH ASSOCIATES ATTN P S GOUGH 1048 SOUTH ST PORTSMOUTH NH 03801-5423
1	PHYSICS INTERNATIONAL LIBRARY ATTN H W WAMPLER PO BOX 5010 SAN LEANDRO CA 94577

2   ROCKWELL INTERNATIONAL
ATTN BA08 J E FLANAGAN
J GRAY
6633 CANOGA AVE
ROCKETDYNE DIVISION
CANOGA PK CA 91304

2   SCIENCE APPLICATIONS INC
ATTN J BATTEH
L THORNHILL
1519 JOHNSON FERRY RD STE 300
MARIETTA GA 30062-6438

1   ELI FREEDMAN & ASSOCIATES
ATTN E FREEDMAN
2411 DIANA RD
BALTIMORE MD 21209

1   ROCKETDYNE
ATTN O HEINEY
MAIL STOP BA26
6633 CANOGA AVE
CONOGA PARK CA 91304

1   THIOKOL
ATTN DR R WARDLE M S 244
G DIXON M S 230
PO BOX 707
BRIGHAM CITY UT 84302-0707

1   THIOKOL
ATTN DR D DILLEHAY
MAIL STOP 703 11
PO BOX 1149
MARSHALL TX 75671

1   THIOKOL
ATTN DR R WILLER
55 THIOKOL RD
ELKTON MD 21922

1   VERITAY TECHNOLOGY INC
ATTN E FISHER
4845 MILLERSPORT HWY
E AMHERST NY 14051-0305

1   BATTELLE
ATTN TACTEC LIBRARY
J N HUGGINS
505 KING AVE
COLUMBUS OH 43201-2693

2   CA INSTITUTE OF TECHNOLOGY
ATTN L D STRAND MS 512 102
D ELLIOT
4800 OAK GROVE DR
JET PROPULSION LABORATORY
PASADENA CA 91109

1   LOCHKEED MARTIN DEFENSE SYSTEMS
ATTN DR J MANDZY
MAIL DROP 43 220
100 PLASTICS AVE
DEFENSE SYSTEMS DIVISION
PITTSFIELD MA 01201

1   DR W J SARGEANT
DEPT OF ELECTRICAL ENGINEERING
BONNER HALL RM 312
BUFFALO NY 14260

1   SCIENCE APPLICATION INTL CORP
ATTN DR G CHRYSSOMALLIS
8400 NORMANDELE BLVD STE 939
MINNEAPOLIS MN 55437

1   CRAFT TECH
ATTN DR S DASH
174 N MAIN ST BLDG 3
PO BOX 1150
DUBLIN PA 18917

1   SANDIA NATIONAL LAB
ATTN M GRUBELICH DIV 2515
PO BOX 5800
ALBUQUERQUE NM 87185

1   IMI SERVICES USA
ATTN G RASHBA
2 WISCONSIN CIRCLE
SUITE 420
CHEVY CHASE MD 20815

2   ALLIANT TECHSYSTEMS INC
ATTN R E TOMPKINS
J KENNEDY
7225 NORTHLAND DR
BROOKLYN PARK MN 55428

    3   OLIN ORDNANCE
           ATTN V MCDONALD LIBRARY
           T BOURGEOIS
           D WORTHINGTON
           PO BOX 222
           ST MARKS FL 32355

           ABERDEEN PROVING GROUND, MD

    4   CDR USAATC
           ATTN   S WALTON
                  G RICE
                  D LACEY
                  C HERUD

    1   DIR USAHEL
           ATTN   J WEISZ

    40   DIR USARL
           ATTN   AMSRL WT P A W HORST
                  AMSRL WT T W F MORRISON
                  AMSRL WT PC R ANDERSON
                     D BEYER
                     J HEIMERL
                     T KOTLAR
                  AMSRL WT PA W OBERLE (10 CPS)
                     A BIRK
                     T COFFEE
                     J DeSPIRITO
                     ARPAD JUHASZ
                     J KNAPTON
                     C LEVERITT
                     M McQUAID
                     I STOBIE
                     P TRAN
                     K WHITE
                     G WREN
                     B BURNS
                     A BRANT
                     L-M CHANG
                     J COLBURN
                     P CONROY
                     G KELLER
                     D KOOKER
                     D KRUCZYNSKY
                     R LIEB
                     T MINOR
                     M NUSCA
                     T ROSENBERGER
                  AMSRL WT PB P PLOSTINS

INTENTIONALLY LEFT BLANK.

USER EVALUATION SHEET/CHANGE OF ADDRESS

This Laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers to the items/questions below will aid us in our efforts.

1. ARL Report Number/Author __ARL-TR-1152 (Oberle)__ Date of Report __July 1996__

2. Date Report Received _____

3. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) _____

_____

_____

4. Specifically, how is the report being used? (Information source, design data, procedure, source of ideas, etc.) ____

_____

_____

5. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided, or efficiencies achieved, etc? If so, please elaborate. _____

_____

_____

6. General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) _____

_____

_____

_____

CURRENT
ADDRESS

_____
Organization

_____
Name

_____
Street or P.O. Box No.

_____
City, State, Zip Code

7. If indicating a Change of Address or Address Correction, please provide the Current or Correct address above and the Old or Incorrect address below.

OLD
ADDRESS

_____
Organization

_____
Name

_____
Street or P.O. Box No.

_____
City, State, Zip Code

(Remove this sheet, fold as indicated, tape closed, and mail.)
(DO NOT STAPLE)

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 0001, APG, MD

POSTAGE WILL BE PAID BY ADDRESSEE

DIRECTOR
U S ARMY RESEARCH LABORATORY
ATTN AMSRL WT PA
ABERDEEN PROVING GROUND MD 21005-5066

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES